

Table 6

Sam- ple No.	Reducing Agent (α) (10^{-1} mol/ mol Ag)	Hindered Phenol (β) (10^{-2} mol/ mol Ag)	β/α (molar ratio)	Remark
5	1-1* (4.0)	2-35* (3.2)	0.08	Comp.
7	1-1 (4.0)	2-35* (3.2)	0.08	Inv.
8	1-2 (4.0)	2-35* (3.2)	0.08	Inv.
9	1-7 (4.0)	2-35* (3.2)	0.08	Inv.
10	1-12 (4.0)	2-35* (3.2)	0.08	Inv.
11	1-13 (4.0)	2-35* (3.2)	0.08	Inv.
12	1-15 (4.0)	2-35* (3.2)	0.08	Inv.
13	1-40 (4.0)	2-35* (3.2)	0.08	Inv.
14	1-43 (4.0)	2-35* (3.2)	0.08	Inv.

1-1*: compound (1-1) of Fukui

2-35*: compound (2-35) of Fukui

Table 7

Sample No.	Unaged Sample						Image Lasting Quality (810 nm)			Remark
	Fog (810 nm)	Sensitivity		D _{max}		h _{ab} (810 nm)	D _{min} (%)	D _{max} (%)	h _{ab}	
		810 nm	814 nm	810 nm	814 nm					
5	0.230	100	80	101	82	193	151	81	165	Comp.
7	0.170	121	118	122	120	220	101	97	230	Inv.
8	0.190	118	113	119	113	210	106	92	215	Inv.
9	0.170	120	118	121	119	220	101	97	225	Inv.
10	0.175	123	121	122	120	235	103	95	240	Inv.
11	0.190	117	113	118	112	210	107	91	215	Inv.
12	0.175	123	120	123	121	225	103	95	230	Inv.
13	0.180	120	116	120	118	225	103	95	230	Inv.
14	0.180	122	118	122	120	230	104	94	235	Inv.